

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

Space Pod - Live Resin - Mango Meteors Sample Matrix: CBD/HEMP **Derivative Products** (Inhalation - Heated)



Certificate of Analysis

Compliance Test

Client Information:

SPACE GODS 2413 S BROADWAY

Batch # 007 Batch Date: 2023-09-18 Extracted From: Hemp

Test Reg State: Florida

Initial Gross Weight: 62.380 g

Number of Units:

Net Weight per Unit: 3000.000 mg



SANTA ANA, CA 92707



Product I mage

Total Active THC

| | Delta 8/Delta 10 Potency 13 - (LCUV) | | | | | |
|------------------|--------------------------------------|------------|--|------------------------------|--|--|
| Specimen Wei | ght: 100.840 mg | | SOP13.052 (LCUV) | | | |
| Analyte | LOD (%) | LOQ (%) | Result (mg/g) | (%) | | |
| Delta-8 THC | 2.60E-5 | 0.0015 | 645.170 | 64.517 | | |
| THCV | 7.00E-6 | 0.015 | 1.160 | 0.116 | | |
| Delta-10 THC | 3.00E-6 | 0.0015 | 0.560 | 0.056 | | |
| Delta6a10a-THC | 8.47E-5 | 0.0015 | 0.470 | 0.047 | | |
| CBC | 1.80E-5 | 0.015 | <loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<> | <l0q< td=""><td></td></l0q<> | | |
| CBD | 5.40E-5 | 0.015 | <loq< td=""><td><loq< td=""><td></td></loq<></td></loq<> | <loq< td=""><td></td></loq<> | | |
| CBDA | 1.00E-5 | 0.015 | <loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<> | <l0q< td=""><td></td></l0q<> | | |
| CBDV | 6.50E-5 | 0.015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| CBG | 2.48E-4 | 0.015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| CBGA | 8.00E-5 | 0.015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| CBN | 1.40E-5 | 0.015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| Delta-9 THC | 1.30E-5 | 0.0015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| THCA-A | 3.20E-5 | 0.015 | <l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<> | <l0q< td=""><td></td></l0q<> | | |
| Total Active CBD | | | <l00< td=""><td><l00< td=""><td></td></l00<></td></l00<> | <l00< td=""><td></td></l00<> | | |

<LOQ

<LOQ

| | | ♦ Potency Summary | | | | |
|-----------------------------------|---|-------------------------------|---|--|--|--|
| Total Delta 8 64.517% 1,935.510mg | | Total Delta 10 0.056% 1.680mg | | | | |
| | Total Active THC None Detected Total CBG None Detected | | Total Active CBD None Detected | | | |
| | | | Total CBN None Detected | | | |
| | Other Can 0.163% | nabinoids 4.89mg | Total Cannabinoids 64.736% 1,942.080mg | | | |

Lab Director/Principal Scientist Aixia Sun



AHCA

D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBC + CBTA = THC + Total CBC + Total THC + Total THC + Total THC + Total CBC + Total THC - O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, (pg/s) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (pg/g), (au) = Water Activity, (mg/kg) = Milligram per Kilogram, ACs se simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5k-4.034, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

QA By: 1057 on 2023-09-25 16:27:35 V1